



Wi-Fi CERTIFIED™ Certificate



This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs

Certification ID: WFA114123

Product Info

Date of Certification	October 20, 2022
Company	Senscomm
Product Name	WISEN 2 – Wi-Fi 6 and Bluetooth Combo
Product Model Variant	SCM26205
Model Number	SCM2020-E
Category	Other
Sub-category	Reference Design

Summary of Certifications

CLASSIFICATION	CERTIFICATION
Connectivity	2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n
Optimization	WMM® Wi-Fi Agile Multiband™
Security	Protected Management Frames WPA2™-Personal 2021-01 WPA3™-Personal 2020-12 WPA™-Personal



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114123



Role: Station

Page 2 of 3

Wi-Fi Components

Wi-Fi Component Operating System

Linux

Wi-Fi Component Firmware

1.0.1

RF Architecture

Bands Supported	Transmit (Tx)	Receive (Rx)
2.4 GHz	2	2
5 GHz	2	2

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz
 40 MHz Channel Width in 2.4 GHz

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz
 40 MHz Channel Width in 5 GHz
 80 MHz Channel Width in 5 GHz

Protected Management Frames

WMM®

WPA2™-Personal 2021-01

WPA3™-Personal 2020-12

WPA™-Personal

Wi-Fi Agile Multiband™

Wi-Fi CERTIFIED 6™

Wi-Fi CERTIFIED 6™ (continued)

A-MPDU with A-MSDU
 Beamforming sounding
 BSRP Trigger frame
 DL Mu PPDU multi-tone
 DL MU-MIMO
 HE NDP
 Individual Target Wake Time
 LDPC Rx
 LDPC Tx
 MCS 8-9 Rx
 MCS 8-9 Tx
 MCS 10-11 Rx
 MCS 10-11 Tx
 MU EDCA Parameter Set element
 MU-BAR Trigger frame
 MU-RTS Trigger frame
 OM Control field Tx
 OM subfield in A-Control field
 Operating Mode Tx
 SU beamformee
 SU-MIMO
 UL OFDMA
 UL TB PPDU multi-tone

Wi-Fi CERTIFIED™ a



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114123



Role: Station

Page 3 of 3

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support
A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
MCS 8-9 Rx
Short Guard Interval
STBC
LDPC Tx
SU beamformee

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

STBC
OBSS on Extension Channel
Short Guard Interval